rantom na rate (na la despeni sell tabile 🕮



| Reg. No.: | •• |
|-----------|----|
| Name :    |    |

# Third Semester B.Sc. Degree (CCSS-2014 Admn.-Regular) Examination, November 2015 Complementary Course in Mathematics for Computer Science 3C03 MAT-CS: MATHEMATICS FOR COMPUTER SCIENCE – III

Time: 3 Hours Max. Marks: 40

### SECTION - A

All the first 4 questions are compulsory. They carry 1 mark each.

- 1. Find the value of n for which the equation  $(ye^{2xy} + x) dx + nxe^{2xy} dy = 0$  is exact.
- 2. Find the Wronskian, W (x, xex).
- 3. Give the Laplace transform of tn+1.
- 4. Determine the relation between a and b if u(x, y) = f(ax + by) is a solution to  $3u_x 7u_y = 0$  for any differentiable function f such that  $f'(z) \neq 0$  for all real z.

 $(4 \times 1 = 4)$ 

# SECTION-B

an outs of meldent caley islant entwellers

Answer any 7 questions from among the questions 5 to 13. These questions carry 2 marks each.

- 5. Solve the initial value problem :  $y' = 2xy^2 + y^2 + 2x + 1$ , y(0) = 1.
- 6. Find the general solution, y'+3.5y = 2.8.
- 7. Solve:  $e^{-2\theta} dr 2re^{-2\theta} d\theta = 0$ .
- 8. Find a general solution to y'' y' + 2.5y = 0.
- 9. Find the Laplace transform of 5e-at sin wt.





- 10. Find the inverse Laplace transform of  $\frac{15}{s^2 + 4s + 29}$ .
- 11. Find the first order PDE, by eliminating the arbitrary function f satisfied by u, u(x, y) = f(x/y).
- 12. Determine whether  $u(x, y) = x^2 + y^2$  is a solution to the PDE,  $u_{xx} + u_{yy} = 0$ .
- 13. Solve the equation  $u_x = 1$  subject to the initial condition u(0, y) = y. (7×2=14)

## SECTION - C

Answer any 4 questions from among the questions 14 to 19. These questions carry 3 marks each.

- 14. Find the particular member of orthogonal trajectories of  $x^2 + cy^2 = 1$  passing through the point (2, 1).
- 15. Find a basis of solutions of the ODE  $(x^2 x) y'' xy' + y = 0$ .
- 16. Solve the following initial value problem by the method of undetermined coefficients.

$$y'' + y = 0.001 x^2$$
,  $y(0) = 0$ ,  $y'(0) = 1.5$ .

- 17. Solve the initial value problem y'' y = t; y(0) = 1, y'(0) = 1, using Laplace transforms.
- 18. Find the type, transform to normal form and solve :  $u_{xx} + 9u_{yy} = 0$ .
- 19. Find the Fourier series of  $f(x) = (\pi x)/2$  in the interval  $(0, 2\pi)$ . (4×3=12)



### SECTION - D

Answer any 2 questions from among the questions 20 to 23. These questions carry 5 marks each.

- 20. Find an integrating factor and solve,  $(e^{x+y} + ye^y)dx + (xe^y 1)dy = 0$ , y(0) = -1.
- 21. Solve  $y'' + y = \sec x$  by variation of parameters.
- 22. Applying Laplace transform, solve the following system.

$$y'_1 = -4y_1 - 2y_2 + t$$
  $y_1(0) = 5.75,$   $y'_2 = -3y_1 - y_2 - t$   $y_2(0) = -6.75$ 

23. Find the two half-range expansions of the function f defined by

$$f(x) = \begin{cases} \frac{2k}{L}x & \text{if } 0 < x < \frac{L}{2} \\ \frac{2k}{L}(L - x) & \text{if } \frac{L}{2} < x < L \end{cases}$$
 (2x5=10)